

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**DATE**

: 2/14/08

**Paper No.:** \_\_\_\_\_

**TO SPE OF**

: ART UNIT 2626

**SUBJECT**

: Request for Certificate of Correction for Appl. No.: 9/512963 Patent No.: 7152031B1

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code **COCX**.

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**  
**South Tower - 9A22**  
**Palm Location 7580**

**VIRGINIA TOLBERT**  
**Certificates of Correction Branch**  
**703-308-9390 ext. 113**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes do not apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:** The request for corrections is approved in part. More specifically

The following amendments are denied: "Column 16 line 2, "1. A method for building..",

"Column 17 line 16, "a user" should read", "Column 17, line 52, "a user" should read",

"Column 18, line 4, "a user" should read", "Column 18, line 20, "a user" should read"

The proposed amendments alter the scope and were not approved during prosecution.

/David R. Hudspeth/

2626

**SPE**

**Art Unit**